

Master Reference List

CAS 154 ADDITIONAL READING

- *A Link Between Substance Abuse and Suicide Rates | SoCal Sunrise Recovery*. (2022). Southern California Sunrise Recovery Center. <https://socalsunrise.com/substance-abuse-and-suicide/>
- American Academy of Pediatrics. AAP-AACAP-CHA Declaration of a National Emergency in Child and Adolescent Mental Health. (2021). <https://www.aap.org/en/advocacy/child-and-adolescent-healthy-mental-development/aap-aacap-cha-declaration-of-a-national-emergency-in-child-and-adolescent-mental-health/>
- American Psychological Association: How to help in an emotional crisis. (2013) <https://www.apa.org/topics/mental-health/help-emotional-crisis>
- Best Practice Highlights Indigenous/Native American Patients. Mary Hasbah Roessel, MD. APA <https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-NativeAmericans-Patients.pdf>
- Bride, B.E., Radney, M., & Figley, C.R. (2007). Measuring compassion fatigue. *Clinical Social Work Journal*, 35, 155-163.
- Crisis Services: Meeting Needs, Saving Lives. Substance Abuse and Mental Health Services Administration (SAMHSA). December 2020
- Felitti, V. J., Anda, R. F., Nordenberg, D., Williamson, D. F., Spitz, A. M., Edwards, V., Koss, M. P., & Marks, J. S. (1998). Relationship of Childhood Abuse and Household Dysfunction to Many of the Leading Causes of Death in Adults. *American Journal of Preventive Medicine*, 14(4), 245–258. [https://doi.org/10.1016/s0749-3797\(98\)00017-8](https://doi.org/10.1016/s0749-3797(98)00017-8)
- Figley, C.R. (Ed.) (1995). *Compassion fatigue: Coping with Secondary Traumatic Stress Disorder*. New York, NY: Brunner/Mazel.
- Figley, C.R. (1996). Review of the Compassion Fatigue Self-Test. In B. H. Stamm (Ed.), *Measurement of Stress, Trauma, and Adaptation*. Baltimore, MD: Sidran Press.
- Figley, C.R. (Ed.) (2002). *Treating Compassion Fatigue*. New York, NY: Brunner/Routledge.
- Maslach, C. (2001). What have we learned about burnout and health? *Psychology and Health*, 16, 607-611.
- Middleton, J. Addressing Secondary Trauma and Compassion Fatigue in work with Older Veterans. (2015).

https://www.researchgate.net/publication/285577761_Addressing_Secondary_Trauma_and_Compassion_Fatigue_in_Work_with_Older_Veterans_An_Ethical_Imperative

- National Center for Cultural Competence, Georgetown University. <https://nccc.georgetown.edu>
- National Human Trafficking Training and Technical Assistance Center. The Original ACE Study. https://nhttac.acf.hhs.gov/soar/eguide/stop/adverse_childhood_experiences
- National Institute of Mental Health. <https://www.nimh.nih.gov>
- Newell, J.M., Gardell, D.N., & MacNeil, G. (2016). Clinician response to client traumas: A chronological review of constructs and terminology. *Trauma, Violence, & Abuse, 17*, 306-313.
- Pearlman, L.A. (1996). Psychometric review of TSI Belief Scale, revision L. In B. H. Stamm (Ed.), *Measurement of stress, trauma, and adaptation* (pp. 415-417). Lutherville, MD: Sidran Press.
- Pearlman, L.A., & Saakvitne, K. W. (1995). *Trauma and the Therapist: Countertransference and Vicarious Traumatization in Psychotherapy with Incest Survivors*. New York: W.W. Norton & Company.
- Pacific Southwest Addiction Technology Transfer Center Network. Compassion Fatigue and the Behavioral Health Workforce Curriculum Infusion Package. <https://uclaisap.org/html2/compassion-fatigue-behavioral-workforce-cip.html>
- Stamm, B.H. (2010). The ProQOL (Professional Quality of Life Scale: Compassion satisfaction and compassion fatigue). Pocatello, ID: Pro-QOL.org. Retrieved from <http://www.proqol.org>.
- Substance Abuse and Mental Health Services Administration. (2015). *Tip 50: Addressing Suicidal Thoughts and Behaviors in Substance Abuse Treatment*. Scholar's Choice. . <https://www.ncbi.nlm.nih.gov/books/NBK64022/>
- Trauma-Informed Care Implementation Resource Center. *What is Trauma?* <https://www.traumainformedcare.chcs.org/wp-content/uploads/Fact-Sheet-What-is-Trauma.pdf>
- Turgoose, D., & Maddox, L. (2017). *Predictors of compassion fatigue in mental health professionals: A narrative review*. *Traumatology, 23*(2), 172-185. <https://doi.org/10.1037/trm0000116>.
- U.S. Department of Health and Human Services, & Services, U. S. D. H. H. (2019). *Tip 61 - Behavioral Health Services for American Indians and Alaska Natives*. https://store.samhsa.gov/sites/default/files/d7/priv/tip_61_aian_full_document_020419_0.pdf

CAS 254 ADDITIONAL READING

- American Foundation for Suicide Prevention. Suicide Statistics. <https://afsp.org/suicide-statistics/>
- Barsky, A. (2015). *Being Conscientious: Ethics of Impairment and Self Care*. Available at: <https://www.socialworker.com/feature-articles>
- Crisis Services: Meeting Needs, Saving Lives. Substance Abuse and Mental Health Services Administration (SAMHSA). December 2020
- *Cultural formulation Interview – Informant version*. (2013). American Psychiatric Association. <https://www.psychiatry.org/File%20Library/Psychiatrists/Practice/DSM/DSM-5-TR/APA-DSM5TR-CulturalFormulationInterviewInformant.pdf>
- Courtois, C.A. (2002). Education in trauma practice: Traumatic stress studies, the need for curricula inclusion. *Journal of Trauma Practice*, 1(1), 33-57.
- Dunkley, J., & Whelan, T.A. (2006). Vicarious traumatization: Current status and future directions. *British Journal of Guidance and Counselling*, 34(1), 107-116.
- Figley, C.R. (Ed.) (1995). *Compassion Fatigue: Coping with Secondary Traumatic Stress Disorder*. New York, NY: Brunner/Mazel.
- Figley, C.R. (1996). Review of the Compassion Fatigue Self-Test. In B.H. Stamm (Ed.), *Measurement of Stress, Trauma, and Adaptation*. Baltimore, MA: Sidran Press.
- Figley, C.R. (Ed.) (2002). *Treating compassion fatigue*. New York: Brunner/Routledge.
- Figley, C.R., Huggard, P., & Rees, C. (2013). Introduction. In C.R. Figley, P. Huggard, & C. Rees (Eds.). *First Do No Self-Harm: Understanding and Promoting Physician Stress Resilience*. New York, NY: Oxford University Press.
- Fortuna, L. (n.d.). *Best Practice Highlights Latino/as and Hispanics*. American Psychiatric Association. <https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-Latinos-Patients.pdf>
- Lachman, V.D. (2016). Compassion fatigue as a threat to ethical practice: Identification, personal and workplace prevention/management strategies. *MEDSURG Nursing*, 25(4), 275-278.
- Newell, J.M. & Nelson-Gardell, D. (2014) A Competency-based approach to teaching professional self-care: An ethical consideration for social work educators. *Journal of Social Work Education*, 50(3), 427-439. doi:10.1080/10437797.2014.917928.

- Newell, J.M., Gardell, D.N., & MacNeil, G. (2016). Clinician response to client traumas: A chronological review of constructs and terminology. *Trauma, Violence, & Abuse, 17*, 306-313.
- National Human Trafficking Training and Technical Assistance Center. The Original ACE Study. https://nhttac.acf.hhs.gov/soar/eguide/stop/adverse_childhood_experiences
- Pacific Southwest Addiction Technology Transfer Center Network. Compassion Fatigue and the Behavioral Health Workforce Curriculum Infusion Package. <https://uclaisap.org/html2/compassion-fatigue-behavioral-workforce-cip.html>
- Pembroke, N. (2015). Contributions from Christian ethics and Buddhist philosophy to the management of compassion fatigue in nurses. *Nursing and Health Sciences, 18*(1), 120-124.
- Stamm, B.H. (2010). The ProQOL (Professional Quality of Life Scale: Compassion satisfaction and compassion fatigue. Pocatello, ID: Pro-QOL.org. Retrieved from <http://www.proqol.org>.
- Suicide Prevention Resource Center. Suicide and Opioids. <https://www.sprc.org/scope/suicide-opioids>
- Turgoose, D. & Maddox, L. (2017). Predictors of compassion fatigue in mental health professionals: A narrative review. *Traumatology, 23*(2), 172–185. <https://doi.org/10.1037/trm0000116>.
- Warren, M., S. M. (2022). *Pain in the Nation: The Epidemics of Alcohol, Drug, and Suicide Deaths: Vol. May 2022*. Trust for America’s Health. https://www.tfah.org/wp-content/uploads/2022/05/TFAH_2022_PainIntheNation_Fnl.pdf

CAS 255 ADDITIONAL READING

- Agency for Healthcare Research and Quality. U.S. Department of Health and Human Services. Ahrq.gov
- Bedford, M. (2019, June 13). *6 Culturally Sensitive Ways to Approach Mental Health*. <https://www.qualityinteractions.com/blog/6-culturally-sensitive-ways-to-approach-mental-health>
- Cosley, B.J., McCoy, S.K., Saslow, L.R., & Epel, E.S. (2010). Is compassion for others stress buffering? Consequences of compassion and social support for physiological reactivity to stress. *Journal of Experimental Social Psychology*, *46*, 816-823.
- Crisis Services: Meeting Needs, Saving Lives. Substance Abuse and Mental Health Services Administration (SAMHSA). December 2020
- Figley Institute. (2012). *Basics of Compassion Fatigue*. New Orleans, LA: Author. Available at: http://www.figleyinstitute.com/documents/Workbook_AMEDD_SanAntonio_2012July20_RevAugust2013.pdf
- *Grief Reactions Over the Life Span*. (n.d.) American Counseling Association. https://www.counseling.org/docs/trauma-disaster/fact-sheet-12---grief-reactions-over-the-life-span.pdf?sfvrsn=215e928c_2
- International Association for Suicide Prevention (IASP). <https://www.iasp.info>
- Knaak, S., Christie, R., Mercer, S., & Stuart, H. (2019). Harm reduction, stigma and the problem of low compassion satisfaction. *Journal of Mental Health and Addiction Nursing*, *3*(1), e8-e21.
- National Human Trafficking Training and Technical Assistance Center. The Original ACE Study. https://nhttac.acf.hhs.gov/soar/eguide/stop/adverse_childhood_experiences
- National Institute of Mental Health. <https://www.nimh.nih.gov>
- Newell, J.M., & MacNeil, G.A. (2010). Professional burnout, vicarious trauma, secondary traumatic stress, and compassion fatigue: A review of theoretical terms, risk factors, and preventive methods for clinicians and researchers. *Best Practices in Mental Health*, *6*(2), 57-68.
- Pacific Southwest Addiction Technology Transfer Center Network. Compassion Fatigue and the Behavioral Health Workforce Curriculum Infusion Package. <https://uclaisap.org/html2/compassion-fatigue-behavioral-workforce-cip.html>

- Preventing Adverse Childhood Experiences (ACEs): Leveraging the Best Available Evidence. (2019). Division of Violence Prevention, National Center for Injury Prevention, and Control Centers for Disease Control and Prevention.
<https://www.cdc.gov/violenceprevention/pdf/preventingACEs.pdf>.
- Roessel, M. (n.d.). Best Practice Highlights Indigenous/Native American Patients. American Psychiatric Association.
<https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-NativeAmericans-Patients.pdf>

CAS 354 ADDITIONAL READING

- *Adverse Childhood Experiences: The Original ACE Study*. (n.d.). National Human Trafficking Training and Technical Assistance Center.
https://nhttac.acf.hhs.gov/soar/eguide/stop/adverse_childhood_experiences
- Asian American / Pacific Islander Communities and Mental Health. (n.d.). Mental Health America. <https://www.mhanational.org/issues/asian-american-pacific-islander-communities-and-mental-health>
- Black and African American Communities and Mental Health. (n.d.). Mental Health America. <https://www.mhanational.org/issues/black-and-african-american-communities-and-mental-health>
- Brown, H., PhD. (2022, October 4). *What Is Compassion Fatigue? 24 Causes & Symptoms Explained*. PositivePsychology.com.
<https://positivepsychology.com/compassion-fatigue/>
- Cabaj, R. (n.d.). Best Practice Highlights Lesbian, Gay, Bisexual, Transgender and people who may be questioning their sexual orientation or sexual identity (LGBTQ). American Psychiatric Association.
<https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-LGBTQ-Patients.PDF>
- *CALM: Counseling on Access to Lethal Means | Suicide Prevention Resource Center*. (2018). <https://www.sprc.org/resources-programs/calm-counseling-access-lethal-means>
- Centers for Disease Control and Prevention (2016). Violence prevention: The ACE pyramid (adapted by RYSE Youth Center).
<https://www.cdc.gov/violenceprevention/acestudy/about.html>
- Crisis Services: Meeting Needs, Saving Lives. Substance Abuse and Mental Health Services Administration (SAMHSA). December 2020
- Fortuna, L. (n.d.). Best Practice Highlights Latino/as and Hispanics. American Psychiatric Association.
<https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-Latinos-Patients.pdf>
- Middleton, J. (2015). Addressing secondary trauma and compassion fatigue in work with older veterans: An ethical imperative. *Ageing Life Care Journal*, 5, 1-8.
https://www.researchgate.net/publication/285577761_Addressing_Secondary_Trauma_and_Compassion_Fatigue_in_Work_with_Older_Veterans_An_Ethical_Imperative
- Roessel, M. (n.d.). Best Practice Highlights Indigenous/Native American Patients. American Psychiatric Association.
<https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-NativeAmericans-Patients.pdf>

CAS 355 ADDITIONAL READING

- Adams, R.E., Boscarino, J.A., & Figley, C.R. (2006). Compassion fatigue and psychological distress among social workers: A validation study. *American Journal of Orthopsychiatry*, 76, 103-108.
- Bride, B.E. (2004). The impact of providing psychosocial services to traumatized populations. *Stress, Trauma, and Crisis: An International Journal*, 7, 1-18.
- Bride, B.E. (2007). Secondary traumatic stress among social workers. *Social Work*, 52, 63-70.
- Bride, B.E., Radney, M., & Figley, C.R. (2007). Measuring compassion fatigue. *Clinical Social Work Journal*, 35, 155-163.
- Crisis Services: Meeting Needs, Saving Lives. Substance Abuse and Mental Health Services Administration (SAMHSA). December 2020
- Hirsch, D. (2021, April 23). *Best Practices Manuals & Toolkits - Didi Hirsch Mental Health Services*. Didi Hirsch Mental Health Services -. <https://didihirsch.org/download-best-practices-manuals-toolkits/>
- Newell, J.M., Gardell, D.N., & MacNeil, G. (2016). Clinician response to client traumas: A chronological review of constructs and terminology. *Trauma, Violence, & Abuse*, 17, 306-313.
- Pacific Southwest Addiction Technology Transfer Center Network. Compassion Fatigue and the Behavioral Health Workforce Curriculum Infusion Package. <https://uclaisap.org/html2/compassion-fatigue-behavioral-workforce-cip.html>

CAS 454 ADDITIONAL READING

- *Ask Suicide-Screening Questions (ASQ) Toolkit*. (n.d.). National Institute of Mental Health (NIMH). <https://www.nimh.nih.gov/research/research-conducted-at-nimh/asq-toolkit-materials>
- *Asian American / Pacific Islander Communities and Mental Health*. (n.d.). Mental Health America. <https://www.mhanational.org/issues/asian-american-pacific-islander-communities-and-mental-health>
- *Black and African American Communities and Mental Health*. (n.d.). Mental Health America. <https://www.mhanational.org/issues/black-and-african-american-communities-and-mental-health>
- Cabaj, R. (n.d.). *Best Practice Highlights Lesbian, Gay, Bisexual, Transgender and people who may be questioning their sexual orientation or sexual identity (LGBTQ)*. American Psychiatric Association. <https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-LGBTQ-Patients.PDF>
- Christopher, J.C., & Maris, J.A. (2010). *Integrating mindfulness as self-care into counselling and psychotherapy training*. *Counselling and Psychotherapy Research*, 10, 114-125. doi:10.1080/14733141003750285.
- Cosley, B.J., McCoy, S.K., Saslow, L.R., & Epel, E.S. (2010). *Is compassion for others stress buffering? Consequences of compassion and social support for physiological reactivity to stress*. *Journal of Experimental Social Psychology*, 46, 816-823.
- *Cultural Formulation Interview (CFI)—Informant Version*. (2013). American Psychiatric Association. <https://www.psychiatry.org/File%20Library/Psychiatrists/Practice/DSM/DSM-5-TR/APA-DSM5TR-CulturalFormulationInterviewInformant.pdf>
- Duquesne University. (2020, October 26). *What Are the 6 Principles of Trauma-Informed Care?* Duquesne University School of Nursing. <https://onlinenursing.duq.edu/blog/what-are-the-6-principles-of-trauma-informed-care/>
- Figley, C.R. (1995). *Compassion Fatigue as Secondary Traumatic Stress Disorder: An Overview*. In C. R. Figley (Ed.), *Compassion Fatigue: Coping with Secondary Traumatic Stress Disorder in Those who Treat the Traumatized* (pp. 1-20). New York, NY: Brunner/Mazel.
- Figley, C.R. & Ludick M. (2017). *Secondary Traumatization and Compassion Fatigue*. In: Gold S, ed. *Handbook of Trauma Psychology: Foundations in Knowledge*. Washington, DC: APA, pp. 573-593.

- Foreman, T. (2018). Wellness, exposure to trauma, and vicarious traumatization: A pilot study. *Journal of Mental Health Counseling*, 40(2), 142-155. doi:10.17744/mehc.40.2.04.
- Gilbert, P. (2013). *Mindful Compassion: Using the Power of Mindfulness and Compassion to Transform Our Lives*. London, UK: Hachette.
- Greason, P.B., & Welfare, L.E. (2013). The impact of mindfulness and meditation practice on client perceptions of common therapeutic factors. *The Journal of Humanistic Counseling*, 52, 235-253. doi:10.1002/j.2161-1939.2013.00045.x.
- Kinman, G. & Grant, L. (2020). Emotional demands, compassion and mental health in social workers. *Occupational Medicine*, <https://doi.org/10.1093/occmed/kqz144>.
- Kinman G, Grant L. Enhancing Accurate Empathy in the Helping Professions. In: Watt D, Panksepp J, eds. *The Neurobiology & Psychology of Empathy*. Hauppauge, NY: Nova Science Publishers, Inc., 2016; pp. 297-319.
- Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9: validity of a brief depression severity measure. *Journal of general internal medicine*, 16(9), 606–613. <https://doi.org/10.1046/j.1525-1497.2001.016009606.x>
- Martin-Cuellar, A., Atencio, D. J., Kelly, R. J., & Lardier, D. T. Jr. (2018). Mindfulness as a moderator of clinician history of trauma on compassion satisfaction. *The Family Journal*, 26(3), 358-368. doi:10.1177/1066480718795123.
- Martin-Cuellar, A., Lardier Jr, D.T.. & Atencio, D.J. (2019). Therapist mindfulness and subjective vitality: The role of psychological wellbeing and compassion satisfaction. *Journal of Mental Health* DOI: 10.1080/09638237.2019.1644491.
- McGarrigle, T. & Walsh, C.A. (2011). Mindfulness, self-care, and wellness in social work: Effects of contemplative training. *Journal of Religion & Spirituality in Social Work: Social Thought*, 30, 212-233. doi:10.1080/15426432.2011.587384.
- Menschner, C. et.al (2016). *Key Ingredients for Successful Trauma-Informed Care Implementation*. Center for Health Care Strategies, Inc. https://www.samhsa.gov/sites/default/files/programs_campaigns/childrens_mental_health/atc-whitepaper-040616.pdf
- National Human Trafficking Training and Technical Assistance Center. The Original ACE Study. https://nhttac.acf.hhs.gov/soar/eguide/stop/adverse_childhood_experiences
- *Ask Suicide-Screening Questions (ASQ) Toolkit*. (n.d.). National Institute of Mental Health (NIMH). <https://www.nimh.nih.gov/research/research-conducted-at-nimh/asq-toolkit-materials>
- National Library of Medicine. The PHQ-9. 2001. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1495268/>

- Newell, J.M., Gardell, D.N., & MacNeil, G. (2016). Clinician response to client traumas: A chronological review of constructs and terminology. *Trauma, Violence, & Abuse, 17*, 306-313.
- Newell, J.M., & MacNeil, G.A. (2010). Professional burnout, vicarious trauma, secondary traumatic stress, and compassion fatigue: A review of theoretical terms, risk factors, and preventive methods for clinicians and researchers. *Best Practices in Mental Health, 6*(2), 57-68.
- *Compassion Fatigue and the Behavioral Health Workforce Curriculum Infusion Package*. (n.d.). Pacific Southwest Addiction Technology Transfer Center Network. <https://uclaisap.org/html2/compassion-fatigue-behavioral-workforce-cip.html>
- Pinals, D. A. (2020). *Crisis Services: Meeting Needs, Saving Lives*. Alexandria, VA: National Association of State Mental Health Program Directors.
- *Post-traumatic stress disorder (PTSD) - Symptoms and causes*. (2022, December 13). Mayo Clinic. <https://www.mayoclinic.org/diseases-conditions/post-traumatic-stress-disorder/symptoms-causes/syc-20355967>
- Pressley Ridge. (n.d.) *Quick Exercises and Tips for Using Mindfulness at Work*. Pittsburgh, PA: Author. Available at: https://togetherthevoice.org/sites/default/files/bbitraining/innovative_strategies_-_mindfulness_document_1.pdf.
- Rienks, S.L. (2020). An exploration of child welfare caseworkers' experience of secondary trauma and strategies for coping. *Child Abuse & Neglect, 104*355, ISSN 0145-2134. <https://doi.org/10.1016/j.chiabu.2020.104355>.
- Roessel, M. (n.d.). *Best Practice Highlights Indigenous/Native American Patients*. American Psychiatric Association. <https://www.psychiatry.org/File%20Library/Psychiatrists/Cultural-Competency/Treating-Diverse-Populations/Best-Practices-NativeAmericans-Patients.pdf>
- Schomaker, S.A., & Ricard, R.J. (2015). Effect of a mindfulness-based intervention on counselor–client attunement. *Journal of Counseling & Development, 93*, 491-498. doi:10.1002/jcad.12047.
- Senreich E, Straussner SL, & Steen J. (2018). The work experiences of social workers: factors impacting compassion satisfaction and workplace stress. *Journal of Scientific Research, 4*, 1-7.
- Shapiro, S.L., Brown, K.W., & Biegel, G.M. (2007). Teaching self-care to caregivers: Effects of mindfulness-based stress reduction on the mental health of therapists in training. *Training and Education in Professional Psychology, 1*, 105-115. doi:10.1037/1931-3918.1.2.105.

- Stamm, B.H. (2005). The ProQOL manual. *The Professional Quality of Life Scale: Compassion Satisfaction, Burnout & Compassion Fatigue/Secondary Trauma Scales*. Baltimore, MD: Sidran Press.
- Stamm, B.H. (2012). Helping the Helpers: Compassion Satisfaction and Compassion Fatigue in Self-Care, Management, and Policy. In A.D. Kirkwood & B.H. Stamm, *Resources for Community Suicide Prevention*. [CD]. Meridian and Pocatello, ID: Idaho State University.
- Thieleman, K. & Cacciatore, J. (2014). Witness to suffering: Mindfulness and compassion fatigue among traumatic bereavement volunteers and professionals. *Social Work, 59*, 34-41. doi:10.1093/sw/swt044.
- Thomas, J.T., & Otis, M.D. (2010). Intrapsychic correlates of professional quality of life: Mindfulness, empathy, and emotional separation. *Journal of the Society for Social Work and Research, 1*, 83-98. doi: 10.5243/jsswr.2010.7.
- *Trauma-Informed Care in Action*. (2020, March 30). Trauma-Informed Care Implementation Resource Center. <https://www.traumainformedcare.chcs.org/trauma-informed-care-in-action/>
- Valent, P. (2002). Diagnosis and Treatment of Helper Stresses, Traumas, and Illnesses. In C. Figley (Ed.), *Treating Compassion Fatigue* (pp. 17-37). New York, NY: Brunner-Routledge.

CAS 464 ADDITIONAL READING

- Agency for Healthcare Research and Quality. U.S. Department of Health and Human Services. Ahrq.gov
- *Ask Suicide-Screening Questions (ASQ) Toolkit*. (n.d.-b). National Institute of Mental Health (NIMH). <https://www.nimh.nih.gov/research/research-conducted-at-nimh/asq-toolkit-materials>
- Brown, H., PhD. (2022, October 4). *What Is Compassion Fatigue? 24 Causes & Symptoms Explained*. PositivePsychology.com. <https://positivepsychology.com/compassion-fatigue/>
- Cosley, B.J., McCoy, S.K., Saslow, L.R., & Epel, E.S. (2010). Is compassion for others stress buffering? Consequences of compassion and social support for physiological reactivity to stress. *Journal of Experimental Social Psychology*, 46, 816-823.
- *Columbia Suicide Severity Rating Scale (C-SSRS) | Zero Suicide*. (n.d.). <https://zerosuicide.edc.org/resources/resource-database/columbia-suicide-severity-rating-scale-c-ssrs>
- Crisis Services: Meeting Needs, Saving Lives. Substance Abuse and Mental Health Services Administration (SAMHSA). December 2020
- Figley, C.R. & Ludick M. (2017). Secondary Traumatization and Compassion Fatigue. In: Gold S, ed. *Handbook of Trauma Psychology: Foundations in Knowledge*. Washington, DC: APA, pp. 573-593.
- Foreman, T. (2018). Wellness, exposure to trauma, and vicarious traumatization: A pilot study. *Journal of Mental Health Counseling*, 40(2), 142-155. doi:10.17744/mehc.40.2.04.
- Gilbert, P. (2013). *Mindful Compassion: Using the Power of Mindfulness and Compassion to Transform Our Lives*. London, UK: Hachette.
- Kinman, G. & Grant, L. (2020). Emotional demands, compassion and mental health in social workers. *Occupational Medicine*, <https://doi.org/10.1093/occmed/kqz144>.
- Kinman G, Grant L. Enhancing Accurate Empathy in the Helping Professions. In: Watt D, Panksepp J, eds. *The Neurobiology & Psychology of Empathy*. Hauppauge, NY: Nova Science Publishers, Inc., 2016; pp. 297-319.
- National Human Trafficking Training and Technical Assistance Center. The Original ACE Study. https://nhttac.acf.hhs.gov/soar/eguide/stop/adverse_childhood_experiences

- Newell, J.M., Gardell, D.N., & MacNeil, G. (2016). Clinician response to client traumas: A chronological review of constructs and terminology. *Trauma, Violence, & Abuse, 17*, 306-313.
- Newell, J.M., & MacNeil, G.A. (2010). Professional burnout, vicarious trauma, secondary traumatic stress, and compassion fatigue: A review of theoretical terms, risk factors, and preventive methods for clinicians and researchers. *Best Practices in Mental Health, 6*(2), 57-68.
- Martin-Cuellar, A., Atencio, D. J., Kelly, R. J., & Lardier, D. T. Jr. (2018). Mindfulness as a moderator of clinician history of trauma on compassion satisfaction. *The Family Journal, 26*(3), 358-368. doi:10.1177/1066480718795123.
- Martin-Cuellar, A., Lardier, D. T. Jr. & Atencio, D. J. (2019): Therapist mindfulness and subjective vitality: The role of psychological wellbeing and compassion satisfaction. *Journal of Mental Health*, DOI: 10.1080/09638237.2019.1644491.
- Pacific Southwest Addiction Technology Transfer Center Network. Compassion Fatigue and the Behavioral Health Workforce Curriculum Infusion Package. <https://uclaisap.org/html2/compassion-fatigue-behavioral-workforce-cip.html>
- Rienks, S.L. (2020). An exploration of child welfare caseworkers' experience of secondary trauma and strategies for coping. *Child Abuse & Neglect, 104355*, ISSN 0145-2134. <https://doi.org/10.1016/j.chiabu.2020.104355>.
- Senreich E, Straussner SL, & Steen J. (2018). The work experiences of social workers: factors impacting compassion satisfaction and workplace stress. *Journal of Scientific Research, 4*, 1-7.
- Stamm, B.H. (2012). Helping the Helpers: Compassion Satisfaction and Compassion Fatigue in Self-Care, Management, and Policy. In A.D. Kirkwood & B.H. Stamm, *Resources for Community Suicide Prevention*. [CD]. Meridian and Pocatello, ID: Idaho State University.
- Stamm BH. (2005). *The ProQOL Manual: The Professional Quality of Life Scale: Compassion Satisfaction, Burnout & Compassion Fatigue/Secondary Trauma Scales*. Baltimore, MD: Sidran.